


Vipros 2510 Machine Programming Limits



Preliminary Document All Information Subject To Change


Amada America Inc.
7025 Firestone Blvd.
Buena Park, CA 90621
Phone: 714-739-2111
Fax: 714-739-4099
Email info@amada.com

Table of Contents

Programmable Travel Limits	3
Programmable Feed Rates	4
Punching Mode	4
Contouring Mode	4
Punch Confirmation Area / Punching Dead Zone.....	5
Definitions	5
A Size (1/2") Station.....	6
A Size Track 200 Stations	6
A Size Track 300 Stations	7
B Size (1 1/4") Station.....	8
B Size Track 200 Stations (Auto Index only)	8
B Size Track 300 Stations	9
C Size (2") Station	10
C Size Track 200 Stations	10
C Size Track 200 Stations Auto Index	10
D Size (3 1/2") Station	12
D Size Track 200 Stations	12
Reposition Holddown Locations	13
Material Clamp Location.....	14
31 Station Turret	15

Preliminary Document All Information Subject To Change

Programmable Travel Limits



Preliminary Document All Information Subject To Change

Programmable Feed Rates

Punching Mode

F1	=	X3937 IPM	Y3149 IPM
F2	=	X2952 IPM	Y2362 IPM
F3	=	X1968 IPM	Y1574 IPM
F4	=	X984. IPM	Y787 IPM

Contouring Mode

G00	max.	3149 IPM
G01	max.	300 IPM
G02	max.	300 IPM optional
G03	max.	300 IPM optional


Punch Confirmation Area / Punching Dead Zone.

Definitions

- Confirmation Zone = An area that when the confirmation switch is in the on position or it is the first run of the part program the operator must confirm the punch by pressing the confirmation pushbutton.
- Punch Dead Zone = Punching in this area with standard tools may damage the material, material clamp, tool, other machine components, and may cause operator injury. The operator must confirm the punch by pressing the punch and confirmation buttons.
- Y-Overtravel Zone = An area that exceeds the travel limits of the machine.


A Size (1/2") Station

A Size Track 200 Stations



Preliminary Document All Information Subject To Change


A Size Track 300 Stations



Preliminary Document All Information Subject To Change


B Size (1 1/4") Station

B Size Track 200 Stations (Auto Index only)



Preliminary Document All Information Subject To Change


B Size Track 300 Stations



Preliminary Document All Information Subject To Change


C Size (2") Station

C Size Track 200 Stations



C Size Track 200 Stations Auto Index


Preliminary Document All Information Subject To Change



Preliminary Document All Information Subject To Change


D Size (3½") Station

D Size Track 200 Stations




Preliminary Document All Information Subject To Change

Reposition Holddown Locations




Preliminary Document All Information Subject To Change

Material Clamp Location



Preliminary Document All Information Subject To Change

31 Station Turret



	Maximum Size Round	Number of Stations (keyed)
A	1/2" (12.7mm)	19 (8)
B	1 1/4" (31.7mm)	6 (6)
C	2" (50.8mm)	1 (1)
D	3 1/2" (88.9mm)	2 (2)
Auto Index	B 1 1/4" (31.7mm)	2 (2)
	C 2" (50.8mm)	1 (1)

Preliminary Document All Information Subject To Change